



MANUFACTURER OF CONSTRUCTION CHEMICALS

we have been on the market since 1992

01. solvents

02. adhesives

03. paints and primers

04. other products

# PRODUCT CATALOGUE

[www.dorex-dorotowo.pl](http://www.dorex-dorotowo.pl)



our products are always on time...



quality and expertise...





## GENERAL PURPOSE solvent

The product is designed for thinning oil, alkyd, chlorinated rubber and renovation paints and varnishes to working viscosities. It can be used to clean tools and brushes as well as any objects soiled with paint.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## EXTRACTION solvent

The product is designed for thinning oil, alkyd, bituminous paints and varnishes to working viscosities. It dissolves fats, oils and waxes. It can be used to degrease surfaces prior to painting and to clean tools, brushes and objects soiled with paint.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## EXTRACTION naphtha

The product is designed for thinning oil, alkyd, bituminous paints and varnishes to working viscosities. It dissolves fats, oils and waxes. It can be used to degrease surfaces prior to painting and to clean tools, brushes and objects soiled with paint.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## NITRO (nitrocellulose) solvent

The product is designed for thinning nitrocellulose paints and varnishes to working viscosities. It can be used to clean tools, brushes and objects soiled with paint/varnish and as a paint remover.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## NITRO RC-01 solvent

The product is designed for thinning nitrocellulose paints and varnishes to working viscosities. It can be used to clean tools, brushes and objects soiled with paint/varnish and as a paint remover.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## NITRO solvent (for paints/varnishes)

The product is designed for thinning high-quality nitrocellulose paints and varnishes to working viscosities. It can be used to clean tools, brushes and objects soiled with paint/varnish and as a paint remover.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## WHITE SPIRIT BASED solvent

The product is designed for thinning oil, alkyd, bituminous products to working viscosities. It can be used to clean tools and brushes after painting as well as to remove grease and oil from metal parts.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## WHITE SPIRIT

The product is designed for thinning oil, alkyd, bituminous products to working viscosities. It can be used to clean tools and brushes after painting as well as to remove grease and oil from metal parts.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## ALKYD-BASED solvent

The product is designed for thinning alkyd paints and varnishes to working viscosities. It can be used to clean tools and brushes as well as any objects soiled with paint.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## CHLORINATED RUBBER solvent

The product is designed for thinning chlorinated rubber and polyvinyl paints and varnishes to working viscosities. It can be used to clean tools and brushes after painting.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER

## UREA-BASED Solvent

The product is designed for thinning alkyd and urea-based paints and varnishes to working viscosities. It can be used to clean tools and brushes as well as any objects soiled with paint.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## EPOXY solvent

The product is designed for thinning epoxy-based paints, varnishes and adhesives to working viscosities. It can be used to clean tools and brushes as well as any objects soiled with paint.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## POLYURETHANE solvent

The product is designed for thinning polyurethane-based paints, varnishes and adhesives to working viscosities. It can be used to clean tools and brushes as well as any objects soiled with paint

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## ACRYLIC-BASED solvent

The product is designed for thinning acrylic-based paints, varnishes and adhesives to working viscosities. It can be used to clean brushes and objects soiled with paint/varnish and as a paint remover.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## ACETONE

The product is designed for degreasing surfaces prior to painting or gluing. It dissolves fats and waxes. It can be used to dilute nitrocellulose, polyurethane paints, varnishes and adhesives as well as to clean brushes and objects soiled after painting.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER





## RENO solvent (for renovation products)

The product is designed for thinning renovation products to working viscosities. It can be used to clean brushes and objects soiled with paint/varnish and as a paint remover.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## DENATURED ALCOHOL-BASED solvent

The product is designed for removing greasy soiling, dilute alcohol-based paints and varnishes. It can be used to clean tools and as well as any objects soiled with paint.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## TERPIL solvent

The product is designed for thinning oil, alkyd, bituminous products to working viscosities. It can be used to clean tools and brushes after painting as well as to remove grease and oil from metal parts.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## XYLENE-BASED solvent

The product is designed for thinning oil, alkyd, urea and chlorinated rubber products to working viscosities. It can be used to clean tools and brushes after painting.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## TOLUENE-BASED solvent

The product is designed for thinning oil, alkyd, urea paints and varnishes to working viscosities. It can be used to clean tools and brushes after painting.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## KEROSENE FOR LIGHTING

The product is designed for kerosene lamps, it can be also used to remove fats and greases from metal surfaces.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## GUM TERPENTINE

The product is designed for thinning oil paints and varnishes and for removing grease and fat from metal parts. It can be used to renovate old furniture and paintings.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## III LOW-AROMATIC EXTRACTION NAPHTHA

The product is designed for thinning oil, alkyd paints and varnishes as well as to remove fat from surfaces prior to painting. This is a high-quality product, with no unpleasant odour.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER



## AROMATIC-FREE ECO WHITE SPIRIT

The product is designed for thinning high-quality oil, alkyd paints and varnishes to working viscosities. Without unpleasant odour.

STANDARD CONTAINER: 0,5L 5L 10L 30L 200L 1000L



BETTER CONTAINER, HIGHER QUALITY

PREMIUM CONTAINER: 0.5L GLASS BOTTLE 5L METAL CONTAINER





## VICOL adhesive

Designed for cold gluing wood with wood, wood with textiles or wood with plastics or cardboard. It can be also used to glue paper. The joint is strong and flexible. For indoor use.

PACKAGING: 50ML 0,2L 0,25KG 0,5KG 1KG 3KG  
5,5KG 15KG 20KG 50KG



## BUTAPREN adhesive

Designed for cold gluing of genuine and artificial leather, rubber, textiles, felt, cork and china as well as for bonding (interconnecting) the above-listed materials. It features high bonding strength and good adhesion. Once dried provides a durable and flexible joint.

PACKAGING: 50ML 0,2L 0,8L 3L 5L 10L 20L



## OSAKRYL adhesive

It is designed for gluing PVC, textile flooring, mosaic parquet and parquet panels as well as ceramic tiles and terracotta to even cement substrates. It can be also used to glue plastic tiles. For indoor use.

PACKAGING: 1KG 4KG 7KG 14KG 20KG 25KG 70KG



## EKO-PRONILENT adhesive

It is designed for gluing PVC, textile flooring, mosaic parquet and parquet panels to even cement substrates. It can be also used to glue plastic tiles. For indoor use.

PACKAGING 1KG 3,5KG 7KG 13KG 18KG 23KG 70KG



## POLYMER-BASED adhesive

It is designed to glue polystyrene foam, wooden or wood-like ceiling coffers, ceramic tiles, terracotta, parquet, parquet mosaic, radiator back screen panels, ceramic products, glass, wood, cork, artificial leather, polyester tiles, flooring to substrates including: concrete, cement-lime, gypsum plaster, plasterboard, wooden panels, chipboard and particle boards, and brickwork. Polymer-based adhesive is a ready for use single-component gluing substance. The joint is flexible and water-resistant.

PACKAGING 50ML 0,25L 0,5L 1L 3L 5L 10L 20L



## RAZ DWA TRZY adhesive (instant)

It is designed for gluing parquet and parquet mosaic to cement substrates, to glue traditional parquet (including the one made of alder or beach wood), lamella wood flooring, wooden coffers, multilayer ready-to-install parquet. The product features very good adhesion to substrates commonly used in construction industry, i.e. anhydrite and cement screed, concrete, self-levelling floor compounds, flooring tiles. The adhesive provides a flexible, ageing-resistant joint. It is recommended for gluing parquets susceptible to damp conditions.

PACKAGING 1KG 4KG 7KG 14KG 25KG



## PARKIETOLEP adhesive

It is designed for gluing mosaic parquet and parquet panels to even cement-based substrates. It does not contain any organic solvents. For indoor use.

PACKAGING 1KG 4KG 7KG 14KG 20KG 25KG 70KG



## NATURAL RUBBER ADHESIVE FOR PARQUETS

It is designed for gluing parquet and parquet mosaic to cement substrates, to glue traditional parquet (including the one made of alder or beach wood), lamella wood flooring, wooden coffers, multilayer ready-to-install parquet. The product features very good adhesion to substrates commonly used in construction industry, i.e. anhydrite and cement screed, concrete, self-levelling floor compounds, flooring tiles. The adhesive provides a flexible, ageing-resistant joint. It is recommended for gluing parquets susceptible to damp conditions.

PACKAGING 1KG 4KG 7KG 14KG 25KG



## DORPIAN adhesive

Designed for mutual gluing upholstery foams and paddings and bonding it with wood, fibreboard, chipboard, cardboard and the like. It glues polystyrene foam, PVC film, roofing paper. It features a high initial adhesion and good resistance to elevated temperatures.

PACKAGING 0,7KG 4KG 7KG 15KG 22KG 25KG 70KG



## ADHESIVE FOR POLYSTYRENE FOAM

Designed for gluing polystyrene foam ceiling coffers, polystyrene boards and radiator back screen panels to concrete, brick, plaster, plasterboards and wood substrates. The adhesive is based on acrylic-styrene dispersion. It features a high bonding strength. Resistant to frost during storage (max -20°C).

PACKAGING 1,5KG 4KG





### DORWIL D3 adhesive for flooring panels

Designed for gluing flooring panels and other wooden and wood-like materials. A single-component product that features an elevated joint resistance to damp conditions. Once hardened it creates a durable, flexible and colourless D3 water resistance class joint.

PACKAGING

0,5KG



### BOOKBINDING adhesive

Designed for gluing paper, cardboard, cork, wood and film. It is perfectly suitable for bonding both flexible and hard surfaces. The adhesive joint features high flexibility. The adhesive is designed for indoor cold use.

PACKAGING

1KG

5,5KG

15KG



### DORWIL D3 adhesive

Designed as an industrial installation and building adhesive for wooden parts, plywood, chipboard and other wood-like materials. A single-component adhesive that features an elevated joint resistance to damp conditions. Once hardened it creates a durable, flexible and colourless D3 water resistance class joint.

PACKAGING

1KG

3KG

5KG

10KG

15KG

20KG



we are  
gluing experts!

## VICOL adhesive

Designed for cold gluing wood with wood, wood with textiles or wood with plastics or cardboard. It can be also used to glue paper. The joint is strong and flexible. For indoor use.

PACKAGING

50ML BLISTER



## BUTAPREN adhesive

Designed for cold gluing genuine and artificial leather, rubber, textiles, felt, cork and china as well as for bonding (interconnecting) the above-listed materials. It features high bonding strength and good adhesion. Once dried provides a durable and flexible joint.

PACKAGING

50ML BLISTER



## FOOTWEAR adhesive

Designed for repairing and manufacturing footwear. It bonds leather with rubber, PU and PVC soles. The adhesive should be used without hardener and thermal activation.

PACKAGING

50ML BLISTER



## RUBBER adhesive

Designed for cold gluing rubber, bicycle tubes and rubberised materials including inflated mattresses, tarpaulins, tents.

PACKAGING

50ML BLISTER



## WOOD adhesive

Designed for cold gluing wood with wood, wood with textiles or paper, cardboard and chipboard.

PACKAGING

50ML BLISTER





## CERAMICS adhesive



Designed for gluing ceramics, ceramic tiles, terracotta, glass, cork to substrates including: concrete, cement-lime plaster, gypsum plaster, wooden panels, chipboard and fibreboard, brick. The joint is flexible and water-resistant.

PACKAGING

50ML BLISTER

## ADHESIVE FOR POLYSTYRENE FOAM



Designed for gluing strips and polystyrene ceiling coffers, foam and cork to substrates including: concrete, cement-lime plaster, gypsum plaster, wooden panels, chipboard and fibreboard, brick. The joint is flexible and water-resistant.

PACKAGING

50ML BLISTER

## Adhesive for PAPER



Designed for cold gluing paper, cardboard, cork and wood.

PACKAGING

50ML BLISTER

## GENERAL PURPOSE adhesive



It is designed to glue polystyrene foam, wooden or wood-like ceiling coffers, ceramic tiles, terracotta, parquet, parquet mosaic, radiator back screen panels, ceramic products, glass, wood, cork, artificial leather, polyester tiles, flooring to substrates including: concrete, cement-lime, gypsum plaster, plasterboards, wooden panels, chipboard and particle board, brickwork.

PACKAGING

50ML BLISTER

## POLYMER-BASED adhesive



It is designed to glue polystyrene foam, wooden or wood-like ceiling coffers, ceramic tiles, terracotta, parquet, parquet mosaic, radiator back screen panels, ceramic products, glass, wood, cork, artificial leather, polyester tiles, flooring to substrates including: concrete, cement-lime, gypsum plaster, plasterboard, wooden panels, chipboard and particle boards, and brickwork. Polymer-based adhesive is a ready for use single-component gluing substance. The joint is flexible and water-resistant.

PACKAGING

50ML BLISTER

## WHITE ACRYLIC PAINT FOR INDOOR USE

Designed for decorative coating of walls and ceilings made of cement, cement-lime, concrete, gypsum, chipboard, plasterboard inside rooms.

PACKAGING

10L



## WHITE ACRYLIC PAINT FOR OUTDOOR USE

Designed for decorative coating of building façades. Perfectly adhesive to cement, cement-lime, gypsum, wooden and wood-like substrates.

PACKAGING

10L



## ZŁOTO (GOLD) decorative paint

Designed for decorative coating of leather, glass, paper, metal, wood, stones, gravestones and Christmas decorations.

PACKAGING

25ML

100ML



## SREBRO (SILVER) decorative paint

Designed for decorative coating of leather, glass, paper, metal, wood, stones, gravestones and Christmas decorations.

PACKAGING

25ML

100ML



## MIEDŹ (COPPER) decorative paint

Designed for decorative coating of leather, glass, paper, metal, wood, stones, gravestones and Christmas decorations.

PACKAGING

25ML

100ML





## HEAT-RESISTANT SILICONE SILVER ALUMINIUM PAINT

Designed for decorative painting of steel and cast-iron surfaces exposed to permanent and periodic heat. It is especially recommended for use to coat furnaces, heating elements, and central heating and vehicle exhaust system components (mufflers, exhaust pipes). Resistant to temperatures +800°C

PACKAGING 100ML 250ML 500ML



## DORBET concrete paint

Designed for decorative coating of external concrete surfaces including fences, curbs, garden concrete components, the so-called "small architecture" concrete items, garden pavements, stone substrate imitations, balconies, terraces.

PACKAGING 1L 5L



## GENERAL PURPOSE ACRYLIC PRIMER

Designed for priming porous and absorptive substrates (concrete floors, plasters/renders, plasterboard). It can be applied both indoors and outdoors. It does not contain any organic solvents. It strengthens the substrate reducing its absorptiveness. It provides good adhesion and surface sealing. It reduces the consumption of dispersion paints, creating a thin layer to be coated by paints, adhesives, plasters/renders, ceramic tiles.

PACKAGING 1L 5L



## NON-DRIP INTERIOR PRIMER

Designed for strengthening mineral substrates, plasterboard (drywall systems) and other gypsum substrates. It strengthens the surface of substrate, equalises its absorptiveness, improves adhesion thus reducing surface coat coverage. As a result of non-drip properties, the coat is thicker and more resistant. The bluish tint that vanishes after absorption by the substrate facilitates its application.

PACKAGING 5L



## NON-DRIP EXTERIOR PRIMER

Designed for strengthening mineral and acrylic substrates. It strengthens the surface of substrate, equalises its absorptiveness, improves adhesion thus reducing surface coat coverage. As a result of non-drip properties, the coat is thicker and more resistant. The bluish tint that vanishes after absorption by the substrate facilitates its application.

PACKAGING 5L



## WOOD IMPREGNATOR

Designed for painting and decorating wood (fences, gazebos, garden furniture, pergolas). It can be used indoors and outdoors. This is a fast-drying product, and does not contain harmful volatile substances.

PACKAGING

1L

5L

10L

AVAILABLE COLOURS:



pine



teak



rosewood



oak



green



chestnut



white



grey



## COBBLE IMPREGNATOR

The product is designed for impregnating cobblestones and other mineral surfaces, including renders, masonry and concrete outdoors. It perfectly protects substrate against water, strengthens it and protects against the impact of harmful weather factors. It perfectly emphasises the colour of impregnated surface.

PACKAGING

1L



## STONE AND SANDSTONE IMPREGNATOR

The product is designed for impregnating surfaces made of natural stone and sandstone. For indoor and outdoor use. It perfectly protects substrate against water, strengthens it and protects against the impact of harmful weather factors. It perfectly emphasises the colour of impregnated stone and sandstone.

PACKAGING

1L

5L



## SODIUM SILICATE (WATERGLASS)

The product is used as a sealing additive to building mortars. It can be used to produce cleaning agents, to glue products in paper industry, to prepare moulding compounds and to treat water.

PACKAGING

0,5L

5L

10L

30L

200L

1000L



## CLINKER OIL

It is designed for treating and protecting surfaces made of clinker brick, clinker tiles, face brick and non-glazed ceramic surfaces. The oil makes the colour more vivid and deepens it. It protects the surface against dirt absorption and facilitates cleaning. The clinker oil can be used prior to grouting to reduce substrate absorptiveness and to facilitate the removal of soling from mortars and grouts. It can be used both indoors and outdoors.

PACKAGING

1L

5L





## PAINT AND VARNISH REMOVER

The product is designed for removing paints and varnishes from metal, wood, mineral and ceramic surfaces. Thanks to gel consistence, it can be also used on vertical surfaces.

PACKAGING

0,5L



## ECO PAINT REMOVER

An eco-friendly and very effective agent for removing old paint and varnish coats. The product is designed for removing paints and varnishes from metal, wood, mineral and ceramic surfaces. It removes paint coats with no damage to the substrate. Thanks to gel consistence, it can be also used on vertical surfaces.

PACKAGING

0,5L



## RUST REMOVER FOR STEEL AND CAST-IRON

The product is designed for removing rust from steel and cast-iron surfaces. It can also be used to remove limestone scale and deposits from sanitary appliances.

PACKAGING

0,5L



## GENERAL-PURPOSE CONCRETE PLASTICISER

Designed for producing all types of concretes with enhanced physical and chemical parameters used in construction.

- clearly reduces the amount of make-up water, strengthens concrete
- slightly extends setting time, improves surface aesthetics
- facilitates laying concrete and extracting concrete parts from moulds
- reduces mixing time in the mixer and facilitates pumping concrete

PACKAGING

5L



## PLASTICISER FOR PREPARING FLOOR SCREEDS UNDER FLOOR HEATING

Designed for preparing floor screeds, especially recommended for floor heating systems – increases the heating plate efficiency, clearly reduces the demand for make-up water

- It enhances concrete strength, slightly extending its setting time
- facilitates laying concrete and extracting concrete parts from moulds
- reduces mixing time in the mixer and facilitates pumping concrete

PACKAGING

5L

## PAINTER'S SOAP

The product for cleaning and degreasing walls, ceilings and façades prior to painting, washing textiles and workwear after painting and for washing floors, ceramic tiles, terracotta, doors, window frames after painting, PVC flooring, oil paint dado.

PACKAGING

0,4KG

0,8KG



## CAUSTIC SODA

Designed for removing any deposits from sewage pipes and clogged sinks, drains and pipes. It dissolves paper, hair, fats and kitchen waste. Eliminates bacteria and unpleasant odour.

PACKAGING

0,25KG

0,5KG



## WINTER WINDSCREEN WASHER FLUID

Designed for washing car windscreens and headlights. Crystallisation temperature: -22°C. Safe for gaskets, glass and paintwork. It does not leave any streaks or damp patches. Removes dust, road deposits and other soiling. Leaves a pleasant, fresh scent after use.

PACKAGING

5L



## DEMINERALISED WATER

The product is intended for use in batteries and car radiators, steam irons, chemical solutions, cosmetics and water-soluble paints.

PACKAGING

5L



## PAINT PROTECTION FILMS

They protect surfaces against paint, dust, deposits and water. Available films: standard paint protection film, strong protection film, extra strong protection film.

PACKAGING

20m<sup>2</sup>



WHITE CEMENT, TECHNICAL TALC, CHALK FOR PAINTING,  
PAINTER'S ADHESIVE, DRY ADHESIVE PAINT, ZINC WHITE



# LIST OF CONTENTS:

GENERAL PURPOSE SOLVENT	PAGE 3
EXTRACTION SOLVENT	PAGE 3
EXTRACTION NAPHTHA	PAGE 3
NITRO (NITROCELLULOSE) SOLVENT	PAGE 3
NITRO RC-01 SOLVENT	PAGE 3
NITRO SOLVENT (FOR PAINTS/VARNISHES)	PAGE 4
WHITE SPIRIT BASED SOLVENT	PAGE 4
WHITE SPIRIT	PAGE 4
ALKYD-BASED SOLVENT	PAGE 4
CHLORINATED RUBBER SOLVENT	PAGE 4
UREA-BASED SOLVENT	PAGE 5
EPOXY SOLVENT	PAGE 5
POLYURETHANE SOLVENT	PAGE 5
ACRYLIC-BASED SOLVENT	PAGE 5
ACETONE	PAGE 5
RENO SOLVENT	PAGE 6
DENATURED ALCOHOL-BASED SOLVENT	PAGE 6
TERPIL SOLVENT	PAGE 6
XYLENE-BASED SOLVENT	PAGE 6
TOLUENE-BASED SOLVENT	PAGE 6
KEROSENE FOR LIGHTING	PAGE 7
GUM TERPENTINE	PAGE 7
III LOW-AROMATIC EXTRACTION NAPHTHA	PAGE 7
AROMATIC-FREE ECO WHITE SPIRIT	PAGE 7
VICOL ADHESIVE	PAGE 8
BUTAPREN ADHESIVE	PAGE 8
OSAKRYL ADHESIVE	PAGE 8
EKO-PRONILENT ADHESIVE	PAGE 8
POLYMER ADHESIVE	PAGE 8
RAZ DWA TRZY ADHESIVE (INSTANT)	PAGE 9
PARKIETOŁEP ADHESIVE	PAGE 9
NATURAL RUBBER ADHESIVE FOR PARQUETS	PAGE 9
DORPIAN ADHESIVE	PAGE 9
ADHESIVE FOR POLYSTYRENE FOAM	PAGE 9
DORWIL D3 ADHESIVE FOR FLOORING PANELS	PAGE10
BOOKBINDING ADHESIVE	PAGE10
DORWIL D3 ADHESIVE	PAGE10
VICOL ADHESIVE	PAGE11
BUTAPREN ADHESIVE	PAGE11
FOOTWEAR ADHESIVE	PAGE11
RUBBER ADHESIVE	PAGE11
WOOD ADHESIVE	PAGE11
CERAMICS ADHESIVE	PAGE12
ADHESIVE FOR POLYSTYRENE FOAM	PAGE12
ADHESIVE FOR PAPER	PAGE12
GENERAL PURPOSE ADHESIVE	PAGE12
POLYMER ADHESIVE	PAGE12
WHITE ACRYLIC PAINT FOR INDOOR USE	PAGE13
WHITE ACRYLIC PAINT FOR OUTDOOR USE	PAGE13
ZŁOTO (GOLD) DECORATIVE PAINT	PAGE13
SREBRO (SILVER) DECORATIVE PAINT	PAGE13
MIEDŹ (COPPER) DECORATIVE PAINT	PAGE13
HEAT-RESISTANT SILICONE SILVER ALUMINIUM PAINT	PAGE14
DORBET CONCRETE PAINT	PAGE14
GENERAL PURPOSE ACRYLIC PRIMER	PAGE14
NON-DRIP INTERIOR PRIMER	PAGE14
NON-DRIP EXTERIOR PRIMER	PAGE14
WOOD IMPREGNATOR	PAGE15
COBBLE IMPREGNATOR	PAGE15
STONE AND SANDSTONE IMPREGNATOR	PAGE15
SODIUM SILICATE (WATERGLASS)	PAGE15
CLINKER OIL	PAGE15
PAINT AND VARNISH REMOVER	PAGE16
ECO REMOVER	PAGE16
RUST REMOVER FOR STEEL AND CAST-IRON	PAGE16
GENERAL PURPOSE CONCRETE PLASTICISER	PAGE16
PLASTICISER FOR PREPARING FLOOR SCREEDS UNDER FLOOR HEATING	PAGE16
PAINTER'S SOAP	PAGE17
CAUSTIC SODA	PAGE17
WINTER WINDSCREEN WASHER FLUID	PAGE17
DEMINERALISED WATER	PAGE17
PAINT PROTECTION FILMS	PAGE17

## quality and service!

TYPE OF SOLVENT:		GENERAL PURPOSE	EXTRACTION	NITROCE	NITRO RC-01	NITROCELLULOSE	WHITE	ALKYD	ACETONE	CHLORINATED RUBBER	UREA	EXTRACTION NAPHTHA	WHITE SPIRIT	XYLENE-BASED	TOLUENE-BASED	KEROSENE FOR LIGHTING	GUM TERPENTINE	RENO	TERPIL	DENATURYT	EPOXY	ACRYLIC	POYURETHANE
FOR THINNING THE FOLLOWING PRODUCTS:	oil and alkyd based	X	X				X	X				X	X	X	X		X		X				
	chlorinated rubber based	X								X				X									
	urea based										X			X	X								
	polyvinyl based									X													
	nitrocellulose based			X	X	X			X														
	polyurethane based																						X
	acrylic based																				X		
	epoxy based																			X			
	varnish												X				X						
	renovation																X						
	fats, oils, waxes		X						X			X					X						
	ethyl alcohol based																		X				
	for removing stains		X		X	X			X			X											
	for cleaning tools and brushes after painting	X	X	X	X	X	X	X	X	X	X	X	X	X	X			X	X	X	X	X	X
	for kerosene lamps															X							
	for removing fats and greases from tools		X						X			X				X							
	for removing fat and oil by washing from metal parts																X						
	for furniture and painting renovation																X						
	for degreasing any surfaces		X						X			X								X			





Distributor address: